



## Phlebology Curriculum References

### Selected Textbooks

1. Alam M, Nguyen TH, editors. Treatment of leg veins. Elsevier © 2006
2. Bergan, JJ, editor. The Vein Book. London: Elsevier Science, © 2006.
3. Browse NL BK, Irvine AT, Wilson NM, editors. Diseases of the veins. 2nd ed. London: Arnold; 1999.
4. Fronek HS, editor. Fundamentals of Phlebology: Venous disease for clinicians. 1st ed. American College of Phlebology © 2004. 2nd ed. RSM Press © 2008.
5. Gloviczki P, Bergan JJ. Atlas of Endoscopic Perforator Vein Surgery. Springer Verlag © 1998.
6. Gloviczki T and Yao JST, Handbook of Venous Disorders, 2<sup>nd</sup> Ed, Arnold, London UK © 2001.
7. Goldman MP and Bergan JJ, editors: Ambulatory Treatment of Venous Disease: An illustrative guide, St. Louis, 1996, pp 173–178, Mosby.
8. Goldman MP, Bergan JJ, Guex JJ, editors. Sclerotherapy: Treatment of of Varicose and Telangiectatic Leg Veins, 4th Edition, Mosby © 2007.
9. Goldman MP, Georgiev M, Ricci S. Ambulatory phlebectomy 2<sup>nd</sup> Ed. Talar & Frances Group LLC © 2005.
10. Goldman MP, Weiss R. A., Bergan JJ. Varicose veins and Telangiectasias: Diagnosis and Treatment. 2<sup>nd</sup> edition. Quality Medical Publishing © 1999.
11. Hanke W., Sommer MB, Sattler G. Tumescant Local Anesthesia. Springer Verlag © 2001.
12. Moneta GL, Pearce W, Ricotta J, Strandness DE. Haimovici's Vascular Surgery 5<sup>th</sup> Edition. Blackwell Publishing © 2003.
13. Rutherford RB. Vascular Surgery, 6<sup>th</sup> Edition, Elsevier Saunders, Philadelphia, © 2005.
14. Sadick NS. Manual of Sclerotherapy. Lippincott, Williams and Wilkins, Philadelphia, 2000.
15. Shami SK, Cheatle TR. Fegan's compression sclerotherapy for varicose veins. Springer Verlag © 2003.
16. Tibbs DJ, Sabiston DC, Davies MG, Mortimer TS, Scurr J.A.H. Varicose veins, venous disorders, and lymphatic problems in the lower limbs. Oxford © 1997.
17. Towne J, Hollier L, Complications in Vascular Surgery 2<sup>nd</sup> Ed. Marcel Dekker © 2004.
18. Weiss R. A., Feied CF, Weiss M. A.. Vein diagnosis & treatment. McGraw–Hill © 2001.

## Selected Bibliography

Agus GB, Mancini S, Magi G. The first 1000 cases of Italian Endovenous–laser Working Group (IEWG). Rationale, and long–term outcomes for the 1999–2003 period. *Int Angiol.* 2006 Jun;25(2):209–15.

Aremu MA, Mahendran B, Butcher W, Khan Z, Colgan MP, Moore DJ, Madhavan P, Shanik DG. Prospective randomized controlled trial: conventional versus powered phlebectomy. *J Vasc Surg.* 2004 Jan;39(1):88–94.

Arnoldi CC. The aetiology of primary varicose veins. *Danish Medical Bulletin* 1957; 4:102–7.

Arfvidsson B, Eklof B, Kistner RL, Ogawa T, Parsi K. A prospective evaluation of the risk for venous leg thrombosis associated with prolonged air travel: a pilot study. *Cardiovasc Surg.* 2001 Oct;9(5):455–7.

Ascher E, Lorensen E, Pollina RM, Gennaro M. Preliminary results of a nonoperative approach to saphenofemoral junction thrombophlebitis. *J. Vasc Surg* 1995; 22:616–21.

Atri M, Herba MK, Reinhold C, et al. Accuracy of sonography in the evaluation of calf deep vein thrombosis in both post–operative surveillance and symptomatic patients. *Am J Roentgenol* 166:1361–1367, 1996.

Baccaglini et al. Sclerotherapy of varicose veins of the lower limbs. Consensus Paper. *Dermatol Surg.* 1996;22:883–9.

Baker SR, Stacey MC, Jopp–McKay AG, Hoskin SE, Thompson PJ. Epidemiology of chronic venous ulcers. *Br J Surg* 1991;78:864–7.

Baglin T, Luddington R, Brown K, Baglin C. Incidence of recurrent venous thromboembolism in relation to clinical and thrombophilic risk factors: prospective cohort study. *Lancet* 2003;362:523–526.

Baldrige ED, Martin MA, Welling RE. Clinical significance of free–floating venous thrombi. *J Vasc Surg* 1990; 11:62–69.

Barwell JR, Davies CE, Deacon J, Harvey K, Minor J, Sassano A, Taylor M, Usher J, Wakely C, Earnshaw JJ, Heather BP, Mitchell DC, Whyman MR, Poskitt KR. Comparison of surgery and compression with compression alone in chronic venous ulceration (ESCHAR study): randomised controlled trial. *Lancet.* 2004; 363:1854–59.

Bass A, Chayan D, et al. Lateral venous ulcer and short saphenous vein insufficiency. *J Vasc Surg* 1997;25:654–57.

Beale RJ, Mavor AID and Gough MJ. Heat dissipation during endovenous laser treatment of varicose veins– is there a risk of nerve injury? *Phlebology* 2006;21(1):32–5.

Beebe–Dimmer JL, Pfeifer J, Engle JS, Schottenfeld D: The Epidemiology of Chronic venous insufficiency and varicose veins. *AEP* 2005; 15:175–184.

Belcaro G, Nicolaidis AN, Ricci A, et al. Endovascular sclerotherapy, surgery, and surgery plus sclerotherapy for superficial venous incompetence: a randomized 10–year follow–up trial: final results. *Angiology* 2000; 51:529–534.

Bergan, JJ. Endovascular Surgery: How we arrived here. *Endovascular Today* 2004 Nov–Dec. 33–36.

Bergan, JJ. Foam Sclerotherapy: Indications, Drugs, Techniques and Results. *Vascular* 2004; 12:S53–S54.

Bergan JJ, Kumins NH, Owens EL, Sparks SR. Surgical and endovascular treatment of lower extremity venous insufficiency. *J Vasc Interv Radiol.* 2002 Jun;13(6):563–8.

Bergan, JJ, Pascarella, L. Severe CVI: Primary treatment with sclerofoam. *Semin Vasc Surg.* 2005 Mar;18(1):49–56.

Bergan, JJ, Pascarella, L, Yamada, C, Mekenas, L. Venous Angiomata: treatment with sclerosant foam, 2005 *Ann Vasc Surg.* 2005 Jul;19(4):457–64.

Bergan JJ, Weiss RA, Goldman MP, Extensive tissue necrosis following high–concentration sclerotherapy for varicose veins. *Derm Surg* 2000;26(6):535–41.

Biegeleisen K, Neilsen RD, O’Shaughnessy A. Inadvertent intra–arterial injection complicating ordinary and ultrasound–guided sclerotherapy. *J Dermatol Surg Onc* 1993;19:953–58.

Bishop CC, Fronck HS, Fronck A, Dilley RB, Bernstein EF. Real–time color duplex scanning after sclerotherapy of the greater saphenous vein. *J Vasc Surg* 1991; 14:505–510.

Bjarnason, H, Kruse JR, Asinger DA, et al: Iliofemoral deep venous thrombosis: Safety and efficacy outcome during 5 years of catheter–directed thrombolytic therapy. *J Vasc Interv Radiol* 1997; 8:405–418.

Bjordal, R, Simultaneous pressure and flow recordings in varicose veins of the lower extremities. *Acta Chir Scand*, 1970; 136: 309–326.

Blumenberg RM, Barton E, Gelfand ML, Skudder P, Brennan J. Occult deep venous thrombosis complicating superficial thrombophlebitis. *J Vasc Surg* 1998; 27:338–43.

Brand FN, Dannenberg AL, Abbott RD, Kannel WB: The epidemiology of varicose veins: the Framingham Study. *Am J Prev Med* 1988; 4: 96–101.

Breu FX, Guggenbichler S European Consensus Meeting on Foam Sclerotherapy. April 4–6, 2003, Tegernsee, Germany. *Dermatol Surg*. 2004 May;30(5):709–17.

Browse NL, Burnand KG. The cause of venous ulceration. *Lancet* 1982;ii:243–5.

Buller HR. Antithrombotic therapy for venous thromboembolic disease: the Seventh ACCP Conference on Antithrombotic and Thrombolytic Therapy. *Chest* – 01–Sep–2004; 126(3 Suppl): 401S–428S.

Cabrera Cabrera J Jr, Garcia–Olmedo MA. Treatment of varicose long saphenous veins with sclerosant in microfoam form: long term outcomes. *Phlebology* 2000;15:19–23.

Cabrera J, Redondo P, Becerra A, Garrido C, Cabrera J Jr, Garcia–Olmedo MA, Sierra A, Lloret P, Martinez–Gonzalez MA Ultrasound–guided injection of polidocanol microfoam in the management of venous leg ulcers. *Arch Dermatol* 2004;140:667–73.

Caggiati A, Bergan JJ, Gloviczki P, Jantet G, Wendell–Smith CP, H P. International Interdisciplinary Consensus Committee on Venous Anatomical Terminology. Nomenclature of the veins of the lower limbs: an international interdisciplinary consensus statement. *J Vasc Surg* 2002;36:416–22.

Caggiati A, Bergan JJ, Gloviczki P, Eklof B, Allegra C, Partsch H. Nomenclature of the veins of the lower limb: Extensions, refinements, and clinical application. *J Vasc Surg* 2005; 41: 719–724.

Callam MJ. Epidemiology of varicose veins. *Br J Surg* 1994; 81:167–73.

Callam MJ, Ruckley CV, Harper DR. et al. Chronic ulceration of the leg: Extent of the problem and provision of care. *Br Med J* 1985;290:1855–6.

Carlin MC, Ratz JL. Treatment of telangiectasia: comparison of sclerosing agents. *J Derm Surg Oncol* 1987;13(11):1181–84.

Carpentier PH, Maricq HR, Biro C, Poncot-Makinen CO, Franco A: Prevalence, risk factors and clinical patterns of chronic venous disorders of lower limbs: A population-based study in France. *J Vasc Surg* 2004; 40: 650-659.

Cheatle TR, McMullin GM, Farrah et al. Skin damage in chronic venous insufficiency: Does an oxygen diffusion barrier really exist? *J R Soc Med* 1990;83:48-9.

Cheatle, T. The long saphenous vein: to strip or not to strip. *Seminars in Vascular Surgery*. January 2005.

Christopoulos DG, Nicolaidis AN, Szendro G, Irvine AT, Bull ML, Eastcott HH Air-plethysmography and the effect of elastic compression on venous hemodynamics of the leg. *J Vasc Surg*. 1987 Jan;5(1):148-59.

Coleridge-Smith P, Lok C, Ramelet AA. Venous leg ulcer: a meta-analysis of adjunctive therapy with micronized purified flavonoid fraction. *Eur J Vasc Endovasc Surg*. 2005; 30: 198-208.

Coleridge Smith PD, Thomas P, Scurr JH, et al. Causes of venous ulceration: a new hypothesis? *Br Med J* 1988;296:1726-7.

Comerota AJ, Kagan SA: Catheter-directed thrombolysis for the treatment of acute iliofemoral deep venous thrombosis. *Phlebology* 2001; 15:149-155.

Comerota AJ, Thromb RC, Mathias S, et al: Catheter-directed thrombolysis for iliofemoral deep venous thrombosis improves health-related quality of life. *J Vasc Surg* 2000; 32:130-137.

Cornu-Thénard A, Boivin P, Baud JM et al. Importance of the familial factors in varicose disease. Clinical study of 134 families. *J Dermatol Surg Oncol* 1994; 20:318- 26.

Criado E, Farber MA, Marston WA, et al. The role of air plethysmography in the diagnosis of chronic venous insufficiency. *J Vasc Surg*. 1998;27:660-70.

Dalsing MC, Ricotta JJ, Wakefield T, Lynch TG, Ouriel K. Animal models for the study of lower extremity chronic venous disease: lessons learned and future needs. *Ann Vasc Surg* 1998; 12(5):487-94.

Darke SG, Penfold C. Venous ulceration and saphenous ligation. *Eur J Vasc Surg* 1992;6:4-9.

Davis LT, Duffy DM. Determination of incidence and risk factors for postsclerotherapy telangiectatic matting of the lower extremity: a retrospective analysis. *J Dermatol Surg Onc.* 1990;16:327–30.

deFaria JL, Moraes IN. Histopathology of telangiectasias associated with varicose veins. *Dermatologica* 1963;127:321–9.

de Medeiros CA, Luccas GC. Comparison of endovenous treatment with an 810 nm laser versus conventional stripping of the great saphenous vein in patients with primary varicose veins. *Dermatol Surg.* 2005 Dec;31(12):1685–94.

DePalma RG, Kowallek DL. Venous ulceration: a cross-over study from non-operative to operative treatment. *J Vasc Surg.* 1996; 24: 788–710.

Dover JS, Sadick NS, Goldman MP. The role of lasers and light sources in the treatment of leg veins. *Dermatol Surg* 1999;25(4):328–35.

Dunn CW, Kabnick LS, Merchant RF, Owens R, Weiss RA. Endovascular Radiofrequency Obliteration Using 90 degrees C for Treatment of Great Saphenous Vein. *Ann Vasc Surg.* 2006 Jul 25; [Epub ahead of print]

Durkin MT, Turton EP, Wijesinghe LD, Scott DJ, Berridge DC. Long saphenous vein stripping and quality of life—a randomised trial. *Eur J Vasc Endovasc Surg.* 2001 Jun;21(6):545–9.

Dwerryhouse S, Davies B, Harradine K, Earnshaw JJ. Stripping the long saphenous vein reduces the rate of reoperation for recurrent varicose veins: five-year results of a randomized trial. *J Vasc Surg* 1999; 29:589–592.

Eklof, B, Rutherford, RB, Bergan, JJ, Carpentier, PH, Gloviczki, P, Kistner, RL, Meissner, MH, Moneta, GL, Myers, K, Padberg, FT, Perrin, M, Ruckley, V, Coleridge Smith, PD, Wakefield, TW. Revision of the CEAP classification for chronic venous disorders: Consensus statement. *J Vasc Surg* 2004; 40:1248–1252.

Eliot N, Mostow MD, MPH, Haraway GD, CWS, Dalsing M. Hodde JP, MS, King D, and the Oasis Venus Ulcer Study Group. Effectiveness of an extracellular matrix graft (OASIS Wound Matrix) in the treatment of chronic leg ulcers: A randomized clinical trial. *J Vasc Surg* 2005;41:837–43.

Falanga V, Eaglstein WH. The "trap" hypothesis of venous ulceration. *Lancet* 1993;341:1006–8.

- Falanga V, Margolis D, Alvarez O, et al: Rapid healing of venous ulcers and lack of clinical rejection with an allogeneic cultured human skin equivalent. *Arch Dermatol* 1998; 134:293.
- Farrah J, Saharay M, Georgiannos SN, Scurr JH, Smith PD. Variable venous anatomy of the popliteal fossa demonstrated by duplex scanning. *Dermatol Surg* 1998;24:901–3.
- Fegan WG, Pegum JM. Accidental intra-arterial injection during sclerotherapy of varicose veins. *Br J Surg*. 1974;61:124–6.
- Feied CF. Deep vein thrombosis: The risks of sclerotherapy in hypercoagulable states. *Seminars in Derm* 1993;12(2):135–49.
- Fischer R et al. Collective Review: The unresolved problem of recurrent saphenofemoral reflux. *J Amer Coll Surg* 2002; 195: 80–94.
- Fischer R, Linde N, Duff C, Jeanneret C, Chandler JG, Seeber P. Late recurrent saphenofemoral junction reflux after ligation and stripping of the greater saphenous vein. *J.Vasc.Surg*. 2001;34:236–40.
- Fligelston L, Carolan G, Pugh N, Minst P, Shandall A, Lane I. An assessment of the long saphenous vein for potential use as a vascular conduit after varicose vein surgery. *J Vasc Surg* 1993; 18:836–40.
- Forlee MV, Grouden M, Moore DJ, Shanik G. Stroke after varicose vein foam injection sclerotherapy. *J Vasc Surg*. 2006 Jan;43(1):162–4.
- Fowkes FJ, Price JF, Fowkes FG. Incidence of diagnosed deep vein thrombosis in the general population: Systematic review. *Eur J Vasc Endovasc Surg* 25:1–5,2003.
- Frullini A. New technique in producing sclerosing foam in a disposable syringe. *Derm Surg* 2000; 26:705–706.
- Frullini A, Cavezzi A. Sclerosing foam in the treatment of varicose veins and telangiectases: history and analysis of safety and complications. *Dermatol Surg*. 2002; 28:11–15.
- Garratt AM, Ruta DA, Abdalla MI, Russell IT. Responsiveness of the SF-36 and a condition-specific measure of health for patients with varicose veins. *Qual Life Res*. 1996;5:223–34.

- Geerts WH, Pineo GF, Heit JA, et al. Prevention of Venous Thromboembolism: The Seventh ACCP Conference on Antithrombotic and Thrombolytic Therapy. *Chest* 2004;126: 338S–400S.
- Georgiev M. Postsclerotherapy hyperpigmentation: a one-year follow-up. *J Dermatol Surg Onc* 1990;16:608–610.
- Goldman MP. Laser and Sclerotherapy Treatment of Leg Veins: My Perspective. *Dermatol Surg* 2002;10:969.
- Goldman MP, Fronck A. The Alexander House Group. Consensus Paper on Venous Leg Ulcer. *JDSO* 1992;18:592–602.
- Goldman MP, Kaplan RP and Duffy DM: Postsclerotherapy hyperpigmentation: a histologic evaluation. *J Derm Surg Onc*. 13:547, 1987.
- Goldman MP, Maritess M, Rao J. Intravascular 1320-nm laser closure of the great saphenous vein: A 6- to 12-month follow-up study. *Dermatol Surg* 2004;30(11):1380–85.
- Goldman MP, Sadick NS, Weiss RA. Cutaneous necrosis, telangiectatic matting, and hyperpigmentation following sclerotherapy. Etiology, prevention, and treatment. *Dermatol Surg*. 1995 Jan;21(1):19–29.
- Goldman MP, Weiss RA, Bergan JJ Diagnosis and treatment of varicose veins: A review *J Am Acad Dermatol* 1994 31:393–413.
- Guex JJ, et al. Immediate and Mid-term Complications of Sclerotherapy: Report of a Prospective, Multi-center Registry of 12,173 Sclerotherapy Sessions. *Derm Surg* 2005;31:123–8.
- Hamel-Desnos C, Desnos P, Wollmann JC, Ouvry P, Mako S, Allaert FA. Evaluation of the efficacy of polidocanol in the form of foam compared with liquid form in sclerotherapy of the greater saphenous vein: initial results. *Dermatol Surg*. 2003; 29:1170–1175.
- Hanrahan LM, Araki CT, Rodriguez AA, et al. Distribution of valvular incompetence in patients with venous stasis ulceration. *J Vasc Surg* 1991;13:805–11.
- Hanson JN, Ascher E, DePippo P, Lorensen E, Scheinman M, Yorkovich W, Hingorani A. Saphenous vein thrombophlebitis (SVT): a deceptively benign disease. *J Vasc Surg* 1998; 27:677–80.

Heit JA, Mohr DN, Silverstein MD, et al. Predictors of recurrence after deep vein thrombosis and pulmonary embolism: a population-based cohort study. *Arch Intern Med* 2000;160:761–768.

Heit JA, O'Fallon WM, Petterson TM, Lohse CM, Silverstein MD, Mohr DN, Melton LJ 3rd. Relative impact of risk factors for deep vein thrombosis and pulmonary embolism: a population-based study. *Arch Intern Med*. 2002;162:1245–8.

Heit JA, Silverstein MD, Mohr DN, Petterson TM, O'Fallon WM, Melton LJ 3rd. Risk factors for deep vein thrombosis and pulmonary embolism: a population-based case-control study. *Arch Intern Med* 2000;160:809–15.

Hingorani AP, Ascher E, Markevich N, Schutzer RW, Kallakuri S, Hou A, Nahata S, Yorkovich W, Jacob T. Deep venous thrombosis after radiofrequency ablation of greater saphenous vein: a word of caution. *J Vasc Surg*. 2004 Sep;40(3):500–4.

Hirsh J, Guyatt G, Albers GW, Schunemann HJ. The Seventh ACCP Conference on Antithrombotic and Thrombolytic Therapy. Evidence-Based Guidelines. *Chest* 2004; 126: 172S–173S.

Hirsh J, Raschke R. Heparin and low-molecular-weight heparin. The Seventh ACCP Conference on Antithrombotic and Thrombolytic Therapy. *Chest* 2004; 126: 188S–203S.

Hoare MC, Nicolaidis AN, Miles CR et al. The role of primary varicose veins in venous ulceration. *Surgery* 1982;92:450–3.

Horner J, Fernandes E and Nicolaidis AN, Value of graduated compression stockings in deep venous insufficiency, *Br Med J* 1980; 280:920.

Humphries J, McGuinness CL, Smith A, et al. Monocyte chemotactic protein-1 (MCP-1) accelerates the organization and resolution of venous thrombi. *J Vasc Surg*. 1999;30:894–899.

Jawien A, Grzela T, Ochwat A: Prevalence of chronic venous insufficiency in men and women in Poland: multicenter cross-sectional study in 40095 patients. *Phlebology* 2003; 18: 110–121.

Jones L, Braithwaite BD, Selwyn D, Cooke S, Earshaw JJ. Neovascularization is the principal cause of varicose vein recurrence: results of a randomized trial of stripping the long saphenous vein. *Eur J Vasc Endovasc Surg* 1996; 12:442–445.

Jorgensen JO, Hanel KC, Morgan AM, Hunt JM. The incidence of deep venous thrombosis in patients with superficial thrombophlebitis of the lower limbs. *J Vasc Surg* 1993; 18:70-3.

Jull AB, Waters J, Arroll B. Pentoxifylline for treating venous leg ulcers. *Cochrane Database Syst Rev*. 2002;(1):CD001733.

Kianifard B, Holdstock JM, Whiteley MS. Radiofrequency ablation (VNUS closure) does not cause neo-vascularisation at the groin at one year: results of a case controlled study. *Surgeon*. 2006 Apr;4(2):71-4.

Kanter A, Thibault PK. Saphenofemoral incompetence treated by ultrasound- guided sclerotherapy. *Dermatol Surg* 1996; 22:648-52.

Kanter A. Clinical determinants of ultrasound-guided sclerotherapy outcome. Part I: The effects of age, gender, and vein size. *Dermatol Surg* 1998;24(1):131-135.

Kerner J and Schultz-Ehrenburg U, Functional meaning of different injection levels in the course of sclerotherapy, *Phlebology* (1989) 4:123-131.

Khilnani N, Min R. Duplex ultrasound evaluation of venous insufficiency. *Techniques in Vascular and Interventional Radiology* 2003;6:125-31.

Killewich LA, Macko RF, Cox K, et al. Regression of proximal deep venous thrombosis is associated with fibrinolytic enhancement. *J Vasc Surg* 1997; 26:861-868.

Kistner RL. Endovascular obliteration of the greater saphenous vein: The Closure procedure. *Jpn J Phlebol* 2002;13:325-33.

Kistner RL. Definitive diagnosis and definitive treatment in chronic venous disease: A concept whose time has come. *J Vasc Surg*. 1996; 24: 788-792.

Krause U, Kock HJ, Kroger K, Albrecht K, Rudosfsky G. Prevention of deep venous thrombosis associated with superficial thrombophlebitis of the leg by early saphenous vein ligation. *Vasa* 1998;27:34-38.

Labropoulos N, Delis K, Nicolaidis AN et al. The role of the distribution and anatomic extent of reflux in the development of signs and symptoms in chronic venous insufficiency. *J Vasc Surg* 1996; 23(3):504-10.

Labropoulos N, Kang SS, Mansour MA, et. al. Primary superficial vein reflux with competent saphenous trunk. *Eur J Endovasc Surg* 1999;18(3):201-6.

Labropoulos N, Leon LR Jr. Duplex evaluation of venous insufficiency. *Semin Vasc Surg.* 2005;18:5–9.

Labropoulos N, Leon M, Nicolaidis AN, Giannoukas AD, Volteas N, Chan P. Superficial venous insufficiency: Correlation of anatomic extent of reflux with clinical symptoms and signs. *J Vasc Surg* 1994; 20:953–58.

Labropoulos N, Voltea N, Leon M, et al. The role of venous outflow obstruction in patients with chronic venous insufficiency. *Arch Surg* 1997; 132:46–51.

Lal BK, Saito S, Pappas PJ et al. Altered proliferative responses of dermal fibroblasts to TGF- $\beta_1$  may contribute to chronic venous stasis ulcers. *J Vasc Surg* 2003; 37:1285–1293.

Langan EM, Miller RS, Casey WJ, et al. Prophylactic inferior vena cava filters in the trauma patients at high risk: follow-up examination and risk/benefit assessment. *J Vasc Surg* 1999; 30:484–490.

Levine MN, Raskob G, Beyth RJ, Kearon C, Schulman S. Hemorrhagic complications of antithrombotic treatment. The Seventh ACCP Conference on Antithrombotic and Thrombolytic Therapy. *Chest* 2004; 126: 287S–310S.

Lewis KM. Anaphylaxis due to sodium morrhuate. *JAMA* 1936;107:1298–99.

Lippmann HI, Fishman LM, Farrar RH, et al: Edema control in the management of disabling chronic venous insufficiency. *Arch Phys Med Rehabil* 1994; 75:436.

Lohr JM, McDevitt DT, Lutter KS, Roedersheimer LR, Sampson MG. Operative management of greater saphenous thrombophlebitis involving the saphenofemoral junction. *Am J Surg* 1992; 164:269–75.

Ludbrook J. The musculo-venous pumps of the human lower limb. *Am. Health J*, 1966; 71: 635–41.

Lupton JR, Alster TS, Romero P. Clinical comparison of sclerotherapy versus long-pulsed Nd:YAG laser treatment for lower extremity telangiectases. *Dermatol Surg.* 2002;28(8):694–7.

Lurie F, Creton D, Eklof B, Kabnick LS, Kistner RL, Pichot O, Schuller-Petrovic S, Sessa C. Prospective randomized study of endovenous radiofrequency obliteration (closure procedure) versus ligation and stripping in a selected patient population (EVOLVEs Study). *J Vasc Surg*. 2003 Aug;38(2):207-14.

Lurie F, Creton D, Eklof B, Kabnick LS, Kistner RL, Pichot O, Sessa C, Schuller-Petrovic S. Prospective randomized study of endovenous radiofrequency obliteration (closure) versus ligation and vein stripping (EVOLVEs): two-year follow-up. *Eur J Vasc Endovasc Surg*. 2005 Jan;29(1):67-73.

MacGowan WAL, Holland PDJ, Browne HI, Byrnes DP. The local effects of intra-arterial injections of sodium tetradecyl sulphate (S.T.D.) 3 per cent. *Brit J Surg* 1972;59(2):101-4.

Manfrini S, Gasbarro V, Danielsson G, et al. Endovenous management of saphenous vein reflux. *J Vasc Surg* 2000; 32:330-342.

Markel A, Meissner MH, Manzo RA, et al. A comparison of the cuff deflation method with Valsalva's maneuver and limb compression in detecting venous valvular reflux. *Arch Surg* 1994;1329:701-5.

Masuda EM, Costner RL, Elko B. Prospective study of duplex scanning for venous reflux: comparison of Valhalla and pneumatic cuff techniques in the reverse Trendelenburg and standing positions. *J Vasc Surg* 1994; 20: 711-20.

Marston WA, Owens LV, Davies S, Mendes RR, Farber MA, Keagy BA. Endovenous saphenous ablation corrects the hemodynamic abnormality in patients with CEAP clinical class 3-6 CVI due to superficial reflux. *Vasc Endovascular Surg*. 2006 Mar-Apr;40(2):125-30.

Masuda EM, Kistner RL. Long-term results of venous valve reconstruction: a four- to twenty-one- year follow-up. *J Vasc Surg* 1994; 19(3):391-403.

Mayberry JC, Moneta GL, Taylor LM Jr., et al: Fifteen-year results of ambulatory compression therapy for chronic venous ulcers. *Surgery* 1991; 109:575.

Mayer W, Hirschwehr R, Hippmann G, Otpadlik P, Bayer P, Partsch H.: Whole-blood immunoassay (SimpliRED) versus plasma immunoassay (Nycocard) for the diagnosis of clinically suspected deep vein thrombosis. *VASA*, 1997;26:97-101.

McCoy S, Evans A, Spurrier N. Sclerotherapy for leg telangiectasia-A blinded comparative trial of polidocanol and hypertonic saline. *Dermatol Surg*. 1999;25(5):381-86.

McMullin GM, Coleridge Smith PD, Scurr JH. Objective assessment of high ligation without stripping the long saphenous vein. *Br J Surg* 1991; 78:1139–1142.

Mekako AI, Hatfield J, Bryce J, Lee D, McCollum PT, Chetter I. A Nonrandomised Controlled Trial of Endovenous Laser Therapy and Surgery in the Treatment of Varicose Veins. *Ann Vasc Surg*. 2006 Jul;20(4):451–7.

Mendes RR, Marston WA, Farber MA, Keagy BA. Treatment of superficial and perforator venous incompetence without deep venous insufficiency: is routine perforator ligation necessary? *J Vasc Surg*. 2003 Nov;38(5):891–5.

Merchant RF, DePalma RG, Kabnick LS. Endovascular obliteration of saphenous reflux: a multicenter study. *J Vasc Surg* 2002; 35:1190–1196.

McCoy S, Evans A, Spurrier N. Sclerotherapy for leg telangiectasia—A blinded comparative trial of polidocanol and hypertonic saline. *Dermatol Surg*. 1999;25(5):381–86.

McMullin GM, Coleridge Smith PD, Scurr JH. Objective assessment of high ligation without stripping the long saphenous vein. *Br J Surg* 1991; 78:1139–1142.

Meissner MH, Manzo RA, Bergelin RO, Markel A, *et al*. Deep venous insufficiency: the relationship between lysis and subsequent reflux. *J Vasc Surg* 1993; 18, 596–608.

Meissner MH, Caps MT, Zierler BK, Polisar N, *et al*. Determinants of chronic venous disease after acute deep venous thrombosis. *J Vasc Surg*. 1998; 28, 826–33.

Merchant RF, DePalma RG, Kabnick LS. Endovascular obliteration of saphenous reflux: a multicenter study. *J Vasc Surg* 2002; 35:1190–1196.

Merchant RF, Pichot O. Long-term outcomes of endovenous radiofrequency obliteration of saphenous reflux as a treatment for superficial venous insufficiency. *J Vasc Surg* 2005; 42 (3): 502–509.

Mewissen MW, Seabrook GR, Meissner MH, *et al*: Catheter-directed thrombolysis for lower extremity deep venous thrombosis: Report of a national multicenter registry. *Radiology* 1999; 211:39–49.

Miller GV, Lewis WG, Sainsbury JR, MacDonald RC. Morbidity of varicose vein surgery: auditing the benefit of changing clinical practice. *Ann R Coll Surg Engl* 1996; 78:345–349.

Min R and Navarro L. Transcatheter duplex ultrasound-guided sclerotherapy for treatment of greater saphenous vein reflux: preliminary report. *Dermatologic Surgery* 2000;26:410-414.

Min R, Zimmet S, Isaacs M, Forrestal M. Endovenous laser treatment of the incompetent greater saphenous vein. *JVIR* 2001; 12:1167-1171.

Min RJ, Khilnani N, Zimmet SE. Endovenous laser treatment of saphenous vein reflux: long-term results. *J Vasc Interv Radiol*. 2003 Aug;14(8):991-6. Min R.

Min R, Khilnani N, Golia P. Duplex ultrasound evaluation of lower extremity venous insufficiency. *JVIR* 2003;14:1233-41.

Mordon S, Wassmer B, Zemmouri J. Mathematical modeling of endovenous laser treatment (ELT). *Biomedical Engineering Online* 2006;5:26.

Motykie GD, Caprini JA, Arcelus JI, et al: Evaluation of therapeutic compression stockings in the treatment of chronic venous insufficiency. *Dermatol Surg* 1999; 25:116.

Mozes G, Gloviczki P, Menawat SS, Fisher DR, Carmichael SW, Kadar A. Surgical anatomy for endoscopic subfascial division of perforating veins. *J Vasc Surg* 1996;24:800-8.

Mozes G, Gloviczki P. New discoveries and new terminology of leg veins: clinical implications. *Vasc Endovasc Surg*. 2004;38:367-74.

Mozes G, Kalra M, Carmo M, Swenson L, Gloviczki P. Extension of saphenous thrombus into the femoral vein: a potential complication of new endovenous ablation techniques. *J Vasc Surg*. 2005 Jan;41(1):130-5.

Myers DD, Hawley AE, Farris DM, et al. P-selectin and leukocyte microparticles are associated with venous thrombogenesis. *J Vasc Surg*. 2003;38:1075-1089.

Navarro L, Min R, Bone C. Endovenous laser: a new minimally invasive method of treatment for varicose veins—preliminary observations using an 810 nm diode laser. *Dermatologic Surgery* 2001;27:117-122.

Neglén P, Raju S. Intravascular ultrasound scan evaluation of the obstructed vein. *J Vasc Surg* 2002; 35(4):694-700.

Neglen P, Raju S. Venous reflux repair with cryopreserved vein valves. *J Vasc Surg* 2003;37:552-7.

Neglen P, Thrasher TL, Raju S. Venous outflow obstruction: An underestimated contributor to chronic venous disease. *J Vasc Surg* 2003; 38(5):879–85.

Nelson EA, Iglesias CP, Cullum N, et al: Randomized clinical trial of four-layer and short-stretch compression bandages for venous leg ulcers (VenUS I). *Br J Surg* 91:1292–1299, 2004.

Nelson EA, Bell-Sayer SE, Cullum N. Compression for preventing recurrence of venous ulcers. *Cochrane Database Syst Rev*. 2000;(4):CD002303.

Nicolini P; Closure Group. Treatment of primary varicose veins by endovenous obliteration with the VNUS closure system: results of a prospective multicentre study. *Eur J Vasc Endovasc Surg*. 2005 Apr;29(4):433–9.

Ninia J. Treatment of vulvar varicosities by Injection-Compression Sclerotherapy. *Dermatol Surg* 1997; 23:573–5.

Nyamekye I, Shephard NA, Davies B, Heather BP, Earnshaw JJ. Clinicopathological evidence that neovascularisation is a cause of recurrent varicose veins. *Eur J Vasc Endovasc Surg*. 1998 May;15(5):412–5.

O'Donnell TF. Venous ulcers: what really works and what does not, based on level I evidence. *Vascular* 2005;13:513–516.

O'Donnell TF Jr. Chronic venous insufficiency: an overview of epidemiology, classification, and anatomic considerations. *Seminars Vasc Surg* 1988;1(2):60–65.

Olivencia JA. Ambulatory phlebectomy: rare complication of local anesthesia: a case report and literature review. *Dermatol Surg* 1996; 22:53–5.

Olivencia JA. Ambulatory Phlebectomy in the Elderly: Review of 100 Consecutive Cases. *Phlebology* 1997; 12:78–80.

Olivencia JA. Complications of ambulatory phlebectomy: review of 1000 consecutive cases. *Dermatol Surg* 1997; 23:51–4.

Olivencia JA. Maneuver to Facilitate Ambulatory Phlebectomy *Dermatol Surg* 1996; 22:654–655.

Olivencia JA. Ambulatory phlebectomy of the foot: review of 75 cases. *Dermatol Surg* 1997; 23:279–80.

- Olivencia JA. Pitfalls in ambulatory phlebectomy. *Dermatol Surg* 1999;25:722–5.
- Padberg FT Jr, Johnston MV, Sisto SA. Structured exercise improves calf muscle pump function in chronic venous insufficiency: a randomized trial. *J Vasc Surg*. 2004 Jan;39(1):79–87.
- Palfreyman SJ, Nelson EA, Lochiel R, Michaels JA. Dressings for healing venous leg ulcers. *Cochrane Database Syst Rev*. 2006 Jul 19;3:CD001103.
- Pannier F, Rabe E. Endovenous laser therapy and radiofrequency ablation of saphenous varicose veins. *J Cardiovasc Surg (Torino)*. 2006 Feb;47(1):3–8
- Papadakis K, Christodoulou C, Christopoulos D, et al. Number and anatomical distribution of incompetent thigh perforating veins. *Br J Surg* 1989; 76:581–84.
- Pappas PJ, You R, Rameshwar P et al. Dermal tissue fibrosis in patients with chronic venous insufficiency is associated with increased transforming growth factor- $\alpha$  gene expression and protein production. *J Vasc Surg* 1999; 30:1129–1145.
- Pappas PJ, DeFouw DO, Venezio LM et al. Morphometric assessment of the dermal microcirculation in patients with chronic venous insufficiency. *J Vasc Surg* 1997; 26:784–795.
- Partsch H, Kechavarz H, Kohn A, Mostbeck A.: The effect of mobilization of patients during treatment of thromboembolic disorders with low-molecular-weight heparin. *International Angiology*, 1997:vol.16, No. 3, 189–192.
- Pascarella, L, Al-Tuwaijrii, M, Bergan, JJ, Mekenas, L. Lower extremity superficial venous aneurysms. *Ann Vasc Surg* 2005;19: 69–73.
- Pascarella, L, Bergan, JJ, Mekenas, L. Severe Chronic venous insufficiency treated by foamed sclerosant. *Ann Vasc Surg*. 2006 Jan;20(1):83–91.
- Pascarella, L, Schmid-Schonbein, GW, Bergan, JJ. An animal model of venous hypertension: the role of inflammation in venous valve failure. *J Vasc Surg*. 2005 Feb;41(2):303–11.
- Pascarella, L, Schmid-Schonbein, GW, Bergan, JJ. Microcirculation and Venous Ulcers, *nn Vasc Surg*. 2005 Nov;19(6):921–7.

Perala J, Rautio T, Biancari F, Ohtonen P, Wiik H, Heikkinen T, Juvonen T. Radiofrequency endovenous obliteration versus stripping of the long saphenous vein in the management of primary varicose veins: 3-year outcome of a randomized study. *Ann Vasc Surg*. 2005 Sep;19(5):669–72.

Perkowski P, Ravi R, Gowda RC, Olsen D, Ramaiah V, Rodriguez-Lopez JA, Diethrich EB. Endovenous laser ablation of the saphenous vein for treatment of venous insufficiency and varicose veins: early results from a large single-center experience. *J Endovasc Ther*. 2004 Apr;11(2):132–8.

Perrin M. Reconstructive surgery for deep venous reflux: a report on 144 cases. *Cardiovasc Surg*. 2000 Jun; 8(4): 246–55. 2000; 8:246–55.

Pierik EGJM, van Urk H, Wittens CHA. Efficacy of subfascial endoscopy in eradicating perforating veins of the lower leg and its relation with venous ulcer healing. *J Vasc Surg* 1997;26:255–59.

Pollack AA, Wood EH. Venous Pressure in the saphenous vein at the ankle in Man during exercise and changes in posture. *J Appl Physiol* 1949;1:649–662.

Prandoni P, Lensing A, Cogo A, Cuppini S, *et al*. The long term clinical course of acute deep venous thrombosis. *Ann Intern Med*. 1996; 125, 1–7.

Prandoni P, Lensing AW, Prins MH, *et al*. Residual venous thrombosis as a predictive factor of recurrent venous thromboembolism. *Ann Intern Med*. 2002 Dec 17;137(12):955–60.

Proebstle TM, D. Gül, H. A. Lehr, A. Kargl and J. Knop. Infrequent early recanalization of greater saphenous vein after endovenous laser treatment. *J Vasc Surg* 2003; 38 (3): 511–16.

Proebstle TM, Krummenauer F, Gul D, Knop J. Nonocclusion and early reopening of the great saphenous vein after endovenous laser treatment is fluence dependent. *Dermatol Surg*. 2004 Feb;30(2 Pt 1):174–8.

Proebstle TM, Lehr HA, Kargl A, Espinola-Klein C, Rother W, Bethge S, Knop J. Endovenous treatment of the greater saphenous vein with a 940-nm diode laser: thrombotic occlusion after endoluminal thermal damage by laser-generated steam bubbles. *J Vasc Surg*. 2002 Apr;35(4):729–36.

Proebstle TM, Sandhofer M, Kargl A, Gul D, Rother W, Knop J, Lehr HA. Thermal damage of the inner vein wall during endovenous laser treatment: key role of energy absorption by intravascular blood. *Dermatol Surg* 2002; 28:596–600.

Queral LA, Francisco JC, et al. The role of sclerotherapy as an adjunct to Unna's boot for treating venous ulcers: A prospective study. *J Vasc Surg* 1990;11:572–5.

Raju S, Frederick R et al. Observations on the calf pump mechanism. Determinants of post-exercise pressure. *J. Vasc Surg*, 1993; 17: 459–469.

Raju S, Owen S Jr, Neglén P. The clinical impact of iliac venous stents in the management of chronic venous insufficiency. *J Vasc Surg* 2002; 35(1):8–15.

Ramelet AA. An unusual complication of ambulatory phlebectomy. Talc granuloma. *Phlebologie*. 1991; 44:865–71.

Ramelet AA. Complications of Ambulatory Phlebectomy. *Dermatol Surg* 1997; 23:947–954.

Rautio T, Ohinmaa A, Perala J, Ohtonen P, Heikkinen T, Wiik H, et al. Endovenous Obliteration Versus Conventional Stripping Operation in the Treatment of Primary Varicose Veins: A Randomized Controlled Trial with Comparison of Costs. *J Vasc Surg* 2002;35:958–65.

Rautio TT, Perala JM, Wiik HT, Juvonen TS, Haukipuro KA. Endovenous obliteration with radiofrequency-resistive heating for greater saphenous vein insufficiency: a feasibility study. *JVIR* 2002; 13:569–575.

Raymond-Martimbeau, P. Effects of Sclerotherapy on Blood coagulation: A Prospective Study. *J Dermatol Surg Oncol* 1991; 17:91.

Ricci S, Georgiev M. Office varicose vein surgery under local anesthesia. *J Dermatol Surg Oncol* 1992; 18:55–8.

Roos de KP, Neumann, H A M. Traumatic neuroma: a rare complication following Muller's phlebectomy. *J Dermatol Surg Oncol* 1994; 20:681–2.

Ruckley CV. Socio-economic impact of chronic venous insufficiency and leg ulcers. *Angiology* 1997;48:67–9.

Roos de KP, Neumann, H A M. Traumatic neuroma: a rare complication following Muller's phlebectomy. *J Dermatol Surg Oncol* 1994; 20:681–2.

Rosendaal FR. Venous thrombosis: a multicausal disease. *Lancet* 1999; 353, 1167–73.

Rutgers PH, Kitslaar PJEHM. Randomized trial of stripping versus high ligation combined with sclerotherapy in the treatment of incompetent greater saphenous vein. *Am J Surg* 1994; 168:311–315.

Rutherford RB, Padberg FT Jr, Comerota AJ, Kistner RL, Meissner MH, Moneta GL. Venous severity scoring: An adjunct to venous outcome assessment. *J Vasc Surg*. 2000;31:1307–12.

Sadick NS. Sclerotherapy of varicose and telangiectatic leg veins. Minimal sclerosant concentrations of hypertonic saline and its relationship to vessel diameter. *J Dermatol Surg Oncol*. 1991 Jan;17(1):65–70.

Sadick NS. Hyperosmolar versus detergent sclerosing agents in sclerotherapy. Effect on distal vessel obliteration. *J Dermatol Surg Oncol*. 1994 May;20(5):313–6.

Sadick NS, Farber B. A microbiologic study of diluted sclerotherapy solutions. *J Dermatol Surg Oncol*. 1993 May;19(5):450–4.

Saito S, Trovato MJ, You R et al. Role of matrix metalloproteinases 1, 2, and 9 and tissue inhibitor of matrix metalloproteinase-1 in chronic venous insufficiency. *J Vasc Surg* 2001; 34:930–938.

Sarin S, Scurr JH, Coleridge Smith PD. Assessment of stripping of the long saphenous vein in the treatment of primary varicose veins. *Br J Surg* 1992; 79:889–893.

Sarin S, Scurr JH, Coleridge Smith PD. Stripping of the long saphenous vein in the treatment of primary varicose veins. *Br J Surg*. 1994 Oct;81(10):1455–8.

Scavee V, Lesceu O, Theys S, Jamart J, Louagie Y, Schoevaerds JC. Hook phlebectomy versus transilluminated powered phlebectomy for varicose vein surgery: early results. *Eur J Vasc Endovasc Surg*. 2003 May;25(5):473–5.

Schmedt CG, Sroka R, Steckmeier S, Meissner OA, Babaryka G, Hunger K, Ruppert V, Sadeghi-Azandaryani M, Steckmeier BM. Investigation on radiofrequency and laser (980 nm) effects after endoluminal treatment of saphenous vein insufficiency in an ex-vivo model. *Eur J Vasc Endovasc Surg*. 2006 Sep;32(3):318–25.

Scultetus AH, Villavicencio JL, Kao TC, Gillespie DL, Ketron GD, lafrati MD, Pikoulis E, Eifert S. Microthrombectomy reduces postsclerotherapy pigmentation: multicenter randomized trial. *J Vasc Surg*. 2003 Nov;38(5):896–903.

Shami SK, Sarin S, Cheadle TR et al. Venous ulcers and the superficial venous system. *J Vasc Surg* 1993; 17(3):487–90.

Sharif MA, Soong CV, Lau LL, Corvan R, Lee B, Hannon RJ. Endovenous laser treatment for long saphenous vein incompetence. *Br J Surg*. 2006 Jul;93(7):831–5.

Simon DA, Dix, FP, McCollum, CN. Management of venous ulcers. *BMJ* 2004; 328:1358–62.

Smith JJ, Guest MG, Greenhalgh RM, Davies AH. Measuring the quality of life in patients with venous ulcers. *J Vasc Surg*. 2000;31:642–9.

Smith SR, Goldman MP: Tumescence anesthesia in ambulatory phlebectomy. *Dermatol Surg* 1998; 24(4): 453–6.

Somjen GM, Ziegenbein R, Johnston AH, Royle JP. Anatomical examination of leg telangiectases with duplex scanning. *J Dermatol Surg Oncol*. 1993 Oct;19(10):940–5.

Stacey MC, Jopp–Mckay AG, Rashid P, Hoskin SE, Thompson PJ. The influence of dressings on venous ulcer healing—a randomized trial. *Eur J Vasc Endovasc Surg* 1997; 13:174–179.

Stibe E, Cheadle TR, Coleridge Smith PD, et al. Liposclerotic skin: A diffusion block or perfusion problem? *Phlebology* 1990;5:231–6.

Stonebridge PA, Chalmers N, Beggs I, Bradbury AW, Ruckley CV. Recurrent varicose veins: a varicographic analysis leading to a new practical classification. *Br J Surg* 1995; 82:60–62.

Strotham G, Blebea J, Fowl RJ, Rosenthal GR. Contralateral duplex scanning for deep venous thrombosis is necessary in patients with symptoms. *J Vasc Surg* 1995; 22:543–547.

Stuart WP, Adam DJ, Allan PL, Ruckley CV, Bradbury AW. Saphenous surgery does not correct perforator incompetence in the presence of deep venous reflux. *J Vasc Surg*. 1998 Nov;28(5):834–8.

Sullivan V, Denk PM, Sonnad SS, Eagleton MJ, Wakefield TW. Ligation versus anticoagulation: treatment of above-knee superficial thrombophlebitis not involving the deep venous system. *J Am Coll Surg* 2001; 193:556-62.

Takase S, Pascarella L, Bergan JJ, Schmid-Schonbein GW. Hypertension-induced venous valve remodeling. *J Vasc Surg*. 2004;39:1329-34.

Takase, S, Pascarella, L, Lerond, L, Bergan, JJ, Schmid Schönbein, GW. Venous hypertension, inflammation and valve remodeling. *Eur J Vasc and Endovasc Surg* 2004; 28: 484-493.

Tessari L, Cavezzi A, Frullini A. Preliminary experience with a new sclerosing foam in the treatment of varicose veins. *Dermatol Surg* 2001;27(1):58-60.

Thibault PK, Lewis WA. Recurrent varicose veins Part 2: Injection of incompetent perforating veins using ultrasound-guidance. *J Dermatol Surg* 1992; 18:895-900.

Thibault PK, Wlodarczyk. Correlation of serum ferritin levels and postsclerotherapy pigmentation- a prospective study. *J Dermatol Surg Onc* 1994;20(10):684-86.

Thibault PK. Duplex examination. *Dermatol Surg* 1995; 21:77-82.

Timperman PE. Arteriovenous fistula after endovenous laser treatment of the short saphenous vein. *J Vasc Interv Radiol*. 2004 Jun;15(6):625-7.

Timperman PE. Greater energy delivery improves treatment success of endovenous laser treatment of incompetent saphenous veins. *J Vasc Interv Radiol*. 2004 Oct;15(10):1061-3.

Timperman PE. Prospective evaluation of higher energy great saphenous vein endovenous laser treatment. *J Vasc Interv Radiol*. 2005 Jun;16(6):791-4.

Tooher R, Middleton P, Pham C, Fitridge R, Rowe S, Babidge W, Maddern G. A systematic review of strategies to improve prophylaxis for venous thromboembolism in hospitals. *Ann Surg*. 2005;241:397-415.

Tzilinis A, Salles-Cunha SX, Dosick SM, Gale SS, Seiwert AJ, Comerota AJ. Chronic venous insufficiency due to great saphenous vein incompetence treated with radiofrequency ablation: an effective and safe procedure in the elderly. *Vasc Endovascular Surg*. 2005 Jul-Aug;39(4):341-5.

- Van Bemmelen PS et al, Does air plethysmography correlate with Duplex scanning in patients with chronic venous insufficiency? 1993 Nov;18(5):796–807.
- van Bemmelen PS, Bedford G, Beach K, Strandness DE. Quantitative segmental evaluation of venous valvular reflux with duplex ultrasound scanning. *J Vasc Surg* 1989; 10: 425–31.
- Verlato F, Zucchetta P, Paolo P, et al. An unexpectedly high rate of pulmonary embolism in patients with superficial thrombophlebitis of the thigh. *J Vasc Surg* 1999;30:1113–1115.
- Vin F, Allert FA, Levardon M. Influence of estrogens and progesterone on the venous system of the lower limbs in women. *J Dermatol Surg Onc* 1992;18:888–892.
- Vuylsteke M, Van den Bussche D, Audenaert EA and Lissens P. Endovenous laser obliteration for the treatment of primary varicose veins. *Phlebology* 2006;21(2):80–7.
- Walsh JC, Bergan JJ, et al. Femoral venous reflux abolished by greater saphenous stripping. *Ann Vasc Surg* 1994;8:566–70.
- Warkentin TE, Greinacher A. Heparin-induced thrombocytopenia: recognition, treatment, and prevention. The Seventh ACCP Conference on Antithrombotic and Thrombolytic Therapy. *Chest* 2004; 126: 311S–337S.
- Weingarten MS, Branas CC, Czeredarczuk M, et al. Distribution and quantification of venous reflux in lower extremity chronic venous stasis disease with duplex scanning. *J Vasc Surg* 1993: 1:753–9.
- Weiss RA. Comparison of endovenous radiofrequency versus 810 nm diode laser occlusion of large veins in an animal model. *Dermatol Surg*. 2002 Jan;28(1):56–61.
- Weiss RA, Dover JS. Laser surgery of leg veins. *Dermatol Clin* 2002;20(1):19–36.
- Weiss RA, Goldman MP. Transillumination mapping prior to ambulatory phlebectomy. *Dermatol Surg*. 1998 Apr;24(4):447–50.
- Weiss RA, Ramelet AA. (2002) Varicose Veins Treated with Ambulatory Phlebectomy. *Emedicine.com*. Retrieved September 25, 2004 from <http://www.emedicine.com/derm/topic748.htm>.
- Weiss R, Weiss M: Resolution of pain associated with varicose and telangiectatic leg veins after compression sclerotherapy. *J Dermatol Surg Oncol* 1990; 16:333–336.

Weiss RA, Weiss MA. Doppler ultrasound findings in reticular veins of the thigh subdermic lateral venous system and implications for sclerotherapy. *J Dermatol Surg Oncol*. 1993 Oct;19(10):947-51.

Weiss RA, Weiss M A. Controlled radiofrequency endovenous occlusion using a unique radiofrequency catheter under duplex guidance to eliminate saphenous varicose vein reflux: a 2-year follow-up. *Dermatol Surg* 2002; 28:38-42.

Weiss RA, Weiss MA, Incidence of Side Effects in the Treatment of Telangiectasias by Compression Sclerotherapy: Hypertonic Saline vs. Polidocanol. *J Derm Surg Oncol* 1990; 16:9.

Welch HJ. Endovenous ablation of the great saphenous vein may avert phlebectomy for branch varicose veins. *J Vasc Surg*. 2006 Sep;44(3):601-5.

Widmer LK. Epidemiology and social medical importance of diseases of the veins. *MMW Munch Med Wochenschr*. 1974 Aug 9;116(32-33):1421-6. German.

Zikorus AW, Mirizzi MS. Evaluation of setpoint temperature and pullback speed on vein adventitial temperature during endovenous radiofrequency energy delivery in an in-vitro model. *Vasc Endovascular Surg*. 2004 Mar-Apr;38(2):167-74.

Zimmet SE, Min RJ. Temperature changes in perivenous tissue during endovenous laser treatment in a swine model. *J Vasc Interv Radiol*. 2003 Jul;14(7):911-5.

Zimmet SE. Leg Ulcers. *J Am Acad Derm* 1992;27:487-88.

Zimmet, SE. Hyaluronidase in the prevention of sclerotherapy-induced extravasation necrosis: a dose-response study. *Derm Surg* 1996;22:73-77.

Zimmet, SE. The prevention of cutaneous necrosis following extravasation of hypertonic saline and sodium tetradecyl sulfate. *J. Dermatol Surg Onc* 1993; 19:641-646.

Zummo M, Forrestal M. Sclerotherapy of the long saphenous vein – a prospective Duplex controlled comparative study. *Phlebology* 1995;Suppl.1: 571-3.